

Natural, Uncoated Aramid Thread*

W.F. Lake Corp. manufactures its uncoated Kevlar* sewing thread from either continuous filament or spun Kevlar* fibers resulting in one of the strongest high temperature sewing threads on the market today. (Note: Also available twisted together with fine filament stainless steel wire and /or coated with PTFE).

Our Kevlar* threads are high temperature threads with excellent fatigue resistance and are highly flexible. The balanced twist ensures easy sewing with consistent results.

This thread is not coated with PTFE. For PTFE coated Kevlar see R721- and R722-Series Products..

W.F. Lake Corp.
 P.O. Box 4214
 65 Park Road
 Glens Falls, NY 12804
 Customer Service: (800) 428-1162
 Tel: (518) 798-9934
 Fax: (518) 798-9936

www.wflake.com



Features

- High Temperature
- High Strength
- Light Weight
- Balanced Twist

Benefits

- Easy Sewing vs. other high temperature threads
- Excellent Thermal Cycling
- Highly Flexible
- Fatigue Resistance

Product Data

Product Number	KSP-90	KCF-70
Thread Style	Kevlar* Spun Fiber	Kevlar* Continuous Filament
Tex Size	90	70
Coating Type	----- Uncoated -----	
Application	----- Medium Duty -----	
Yield (yards/lb nom.)	4700	6250
Tensile Strength (lbs. min.)	17	21
Diameter (nom. inch)	0.012"	0.010"
Final Twist	----- "Z" -----	
Color	--- Natural (yellow/ gold) ---	

Applications:

- High Temperature Textiles
- Belting Reinforcement
- Welding Curtains
- Kiln Seals
- High Temperature Textile Repairs

Serving Package: King Spool
 Approx. Net Wt.: 1 lb/spool (others available)
 Available with high speed silicone thread lubricant applied in line.
 All values are typical and should not be used for writing specifications. *Kevlar Reg. DuPont

Operating Temp: Kevlar to 500 deg. F.



High Performance PTFE & Silicone Coated Products

*Kevlar Reg. DuPont

W.F. Lake Corp. manufactures high performance PTFE and Silicone coated products designed for extreme operating environments. Our non-stick, temperature and chemical resistant materials are uniquely suited for a wide variety of specialized industrial applications in a number of diverse industries. By combining our broad based in-house processing and converting capabilities, we are able to offer you creatively engineered products especially suited to your application. Give us a call to discuss your material needs... we're ready to help!

***We manufacture the industry's widest range of
PTFE Coated Fiberglass products !***



PTFE Coated ...

*Fabrics
Adhesive Tapes
S-2 Glass Fabrics
Kevlar* Fabrics
High Temperature Belting
Braided Draw Cords
Braided Lacing Tapes
Yarns
E-Glass Sewing Thread
S-2 Glass Sewing Thread (1400 deg. F)
Kevlar* Sewing Thread
Quartz Sewing Threads (2000 deg F !!!)*

W.F. LAKE CORP., 65 Park Road, Glens Falls, NY 12804
Tel: (518) 798-9934 . Tel: (800) 428-1162. Fax: (518) 798-9936. E-mail: info@wflake.com
www.wflake.com



High Performance PTFE & Silicone Coated Products